eon

| Application No. | Applicant(s) |
|--|--|
| 09/741,656 | HORNE, REMKO |
| Examiner | Art Unit |
| Elizabeth Keaney | 2882 |
| (OR REMAINS) CLOSED in thi or other appropriate communic GHTS. This application is subj | he c rrespondence address s application. If not included ation will be mailed in due course. THIS ect to withdrawal from issue at the initiative |
| <u>ch 2004</u> . | |
| | |
| the Examiner. | |
| been received. been received in Application Notements have been received in the property of this communication to file a received. | |
| | NER'S AMENDMENT or NOTICE OF claration is deficient. |
| 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). | |
| 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | |
| 6. ☐ Interview Sumn Paper No./Mai 3), 7. ☐ Examiner's Ame | Date |
| | Elizabeth Keaney ars on the cover sheet with to COR REMAINS) CLOSED in this or other appropriate communic GHTS. This application is subjusted MPEP 1308. The Examiner. der 35 U.S.C. § 119(a)-(d) or (for the examiner) deen received. been received in Application Not the communication to file a received in this communication. The Examiner of this application. And the examiner deep deep deep deep deep deep deep de |

Application/Control Number: 09/741,656

Art Unit: 2882

DETAILED ACTION

Receipt is acknowledged of the Remarks filled 12 March 2004.

Response to Arguments

Applicant's arguments, see pages 2-3, filed 12 March 2004, with respect to claims 1 and 2 have been fully considered and are persuasive. The rejection of claims 1 and 2 has been withdrawn.

Allowable Subject Matter

Claims 1 and 2 are allowed over the prior art.

The following is an examiner's statement of reasons for allowance: The best prior art of record discloses a color display device comprising a substrate, a phosphor pattern, containing blue phosphors for emitting, formed on the substrate, and at least a blue color filter extending between the phosphor and the substrate. The prior art further discloses a color display device comprising a substrate, a phosphor pattern, containing blue phosphors for emitting, formed on the substrate wherein the phosphors comprise phosphor particles provided with blue pigment. However, the prior art fails to teach or fairly suggest the combination of these to embodiments to form a color display device comprising a substrate, a phosphor pattern, containing blue phosphors for emitting, with at least a blue color filter layer extending between the blue phosphor and the substrate, characterized in that the blue phosphors comprises phosphor particles provided with blue pigment as claimed in claim 1. Claim 2 is allowed by virtue of its dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

 US Patents 5,952,776 and 6,517,741 disclose the substitution of pigmented phosphors for the phosphor/color filter combination in a color display device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Keaney whose telephone number is (571)272-2489. The examiner can normally be reached on Monday-Thursday 5:30-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571)272-2490. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/741,656 Page 4

Art Unit: 2882

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

emk

DAVID V. BRUCE PRIMARY EXAMINER

DanBrun